

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB05/000177

International filing date: 20 January 2005 (20.01.2005)

Document type: Certified copy of priority document

Document details: Country/Office: GB  
Number: 0401505.3  
Filing date: 23 January 2004 (23.01.2004)

Date of receipt at the International Bureau: 17 February 2005 (17.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



PCT/GB 2005 / 0 0 0 1 7 7



INVESTOR IN PEOPLE


The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

*A. B. Jones*

Dated

8 February 2005



The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference

Jg-3076

2. Patent application number

(The Patent Office will fill in this part)

23 JAN 2004

0401505.3

3. Full name, address and postcode of the or of each applicant (underline all surnames)

08794778001

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

Mark Andrew Nicholson  
Godfreys Barn  
Sheepcoates Lane  
Little Totham  
Maldon  
Essex  
CM9 8NT  
United Kingdom

4. Title of the invention

A HEATING UNIT FOR HEATING A PATIO

5. Name of your agent (if you have one)

Graham Jones & Company

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

77 Beaconsfield Road  
Blackheath  
London  
SE3 7LG

Patents ADP number (if you know it)

2097001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

NO

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 9

Claim(s)

Abstract

Drawing(s) 5 

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents  
(*please specify*)

11.

I/We request the grant of a patent on the basis of this application.

Signature 

Date 23/01/04

12. Name and daytime telephone number of person to contact in the United Kingdom

Mr. G.H. Jones 8858 4039

**Warning**

*After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.*

**Notes**

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

## A HEATING UNIT FOR HEATING A PATIO

This invention relates to a heating unit for heating a patio.

Heating units for heating a patio are known. The known heating units comprise a gas container and a heater portion which provides heat for the patio by burning gas from the gas container. The heating units are often used by the proprietors of commercially run premises such for example as public houses, cafes and restaurants for heating patios and thereby encouraging customers to use the patios at times when the patios might otherwise be too cold for comfortable use. Extended use of the patios can increase trade, for example by providing increased space for use by customers, or simply by enabling customers to remain in a preferred outdoor environment for longer than they would otherwise have done due to the fact that they do not become prematurely cold as they would do without the heating unit.

With the above use of the heating units, a problem arises in that the heating units are under the control of the proprietor of the commercial premises, and the heating units are generally left on for the duration of business. It often occurs that the heating units are used for heating patios when customers are not present. This represents a wastage of gas which in turn represents loss of profit.

It is an aim of the present invention to obviate or reduce the above mentioned problem.

Accordingly, in one non-limiting embodiment of the present invention there is provided a heating unit for heating a patio, which heating unit comprises a heater portion which provides heat for the patio by burning gas from a gas container, and a meter, and the heating unit being such that the meter is a token-operated or coin-operated meter which allows the passage of gas from the gas container to the heater portion on receipt of at least one token or coin, and the passage of the gas is only for a predetermined time period after which at least one further token or coin is required for allowing the passage of more of the gas for a further predetermined time period.

With the present invention, the heating unit can be under the control of a customer. The customer simply inserts at least one token or coin whereupon the heating unit provides heat for a predetermined time period. At the end of that time period, the customer can choose whether or not to pay for heating for a further predetermined time period. Basically, the customer will be paying for heating only for required time periods. Proprietors of commercial premises do not have to pay for operation of the heating unit although they can do so if they wish. Heating of empty patios can be avoided.

The heating unit may be one in which the meter is such that each predetermined time period is the same. Thus, for example, each predetermined time period may be twenty minutes, thirty minutes, forty minutes, or whatever period is required.

The heating unit may be such that it provides a predetermined minimum number of the same predetermined time periods when starting



from a full quantity of gas in the gas container. Thus, for example, a proprietor of commercial premises will be able to know that when the gas container is full, and with each predetermined time period being the same, the predetermined number of the tokens or coins to a predetermined value that will be obtained from each full gas container. This enables the proprietor of the commercial premises to work out an appropriate charge rate in order to ensure that the heating unit pays for itself, in addition to attracting persons to use the patio. For example, if one token is able to be purchased for one pound, and if insertion of one token in the meter gives a twenty minutes predetermined time period, then the heating unit may provide forty of the predetermined time periods for each full gas container.

The heating unit may be one in which the meter is positioned between the heater portion and a base part of the heating unit.

The heating unit may include the gas container.

When the meter is positioned between the heater portion and the base part of the heating unit, and when the heating unit includes the gas container, then the heating unit may be of a pole-like appearance having the gas container as a tubular gas container at the base part of the heating unit, the heater portion at a top part of the heating unit, and the meter in a tubular conduit which extends between the gas container and the heater portion.

In an alternative embodiment of the invention, the heating unit may be one which is such that it does not include the gas container, in which the heating unit has connector means for connecting to a gas container remote

from the heating unit, and in which the gas container has supply means for supplying a plurality of the heating units.

In all embodiments of the invention, the heater portion may include a reflector for reflecting downwardly heat from the heater portion. Generally, the heating unit may be of any suitable and appropriate size and shape.

The heating unit may include securing means for securing the heating unit in a chosen position in order to prevent theft of the heating unit. The securing means may secure the heating unit to a floor of the patio. Theft of the heating unit will be more of a problem when the heating unit operates on coins rather than tokens. For this reason, it is preferred that the meter is a token-operated meter.

The present invention also provides heating apparatus for heating a patio, which heating apparatus comprises the heating unit of the invention, and token-dispensing means for dispensing tokens in response to the payment. The payment may be made in cash, for example in the form of coins. The token-dispensing means may be positioned remote from the heating unit and in a more secure area than the heating unit because the token-dispensing means can contain cash which will attract thieves.

Embodiments of the invention will now be described solely by way of example and with reference to the accompanying drawings in which:

Figure 1 shows a first heating unit in use;

Figure 2 shows in more detail the heating unit shown in Figure 1;

Figure 3 is an enlarged view of a meter used in the heating unit shown in Figures 1 and 2;



Figure 4 is a section through the meter shown in Figure 3; and

Figure 5 shows a second heating unit in use.

Referring to Figures 1 – 4, there is shown a heating unit 2 for heating a patio 4. The heating unit 2 comprises a gas container 6 and a heater portion 8 which provides heat for the patio 4 by burning gas from the gas container 6. A meter 10 is positioned between the gas container 6 and the heater portion 8.

The heating unit 2 is such that the meter 10 is a token-operated meter which allows the passage of gas from the gas container 6 to the heater portion 8 on receipt of a token 12. The passage of the gas is only for a predetermined time period, after which a further token 12 is required for allowing the passage of more of the gas for a further predetermined time period.

The meter is such that each predetermined time period is the same. For example, each predetermined time period may be of twenty minutes duration. The heating unit 2 is also such that it provides a minimum number of the same predetermined time periods when starting from a full quantity of gas in the gas container 6. For example, the heating unit 2 may provide forty of the predetermined time periods when starting from a full quantity of gas in the gas container. This will then require the insertion of forty of the tokens 12 into the meter 10. If each token 12 costs one pound, then a proprietor of commercial premises operating the patio 4 would know that each gas container 6 would earn forty pounds. If this sum is in excess of the cost of providing a refill gas container 6, then the heating unit 2 can be seen

to be operating at a commercial profit, in addition to providing heating for the patio 4 and thus attracting customers to the patio 4.

As can best be seen from Figures 1 and 2, the heating unit 2 is of a pole-like appearance having the gas container 6 as a tubular gas container at a base of the heating unit 2, the heater portion 8 as a heater head at a top part of the heating unit 2, and the meter 10 in a tubular conduit 14 which extends between the gas container 6 and the heater portion 8.

The heater portion 8 includes a reflector 16 for reflecting downwardly heat from the heater portion 8.

Figure 1 shows the heating unit 2 being positioned adjacent to tables 18, 20 on the patio. The table 18 is shown being occupied by a female person 22. A male person 24 is shown about to insert a token 12 into a slot 26 in the meter 10. The table 20 is shown occupied by a female person 28 and a male person 30. The patio 4 is in front of commercial premises in the form of a cafe 32. Token-dispensing means 34 is mounted on a wall 36 inside the cafe 32. A male person 28 is shown inserting a one pound coin 40 into a slot 42 in the token-dispensing means 34 in order to obtain a token 12 from the token-dispensing means 34. The token-dispensing means 34 and the heating unit 2 together form heating apparatus for heating the patio 4.

As can be seen from Figure 1, the gas container 6 comprises an outer holder 44 having a door 46. An actual container 48 (see Figure 2) is inserted through the door 46 into the holder 44, from where it connects to a pipe 50 (see Figure 2) which extends through the tubular conduit 14.

Figure 2 shows how the heater portion 8 comprises a gas flow control knob 52 and an ignition button 54 for igniting the gas from the gas container 6 at the heater portion 8. The heater portion 8 and the gas container 6 may be of the same general construction as those employed in known patio heating units. Thus the heater portion 8 may have an incandescent portion 56 which glows with heat during the burning of the gas. The reflector 16 reflects the gas downwardly.

Figure 3 shows in more detail the slot 26 in the meter 10. Also shown in Figure 3 is a change chute 58 for giving change from the meter 10 if the meter 10 is to be a coin-operated meter 10 rather than a token-operated meter 10.

Figure 4 is a section through the meter shown in Figure 3. As can be seen from Figure 4, the meter 10 includes a valve 60 which is spring biased by a spring 62 and which extends across the pipe 50 in order to block the pipe 50 and thus prevent the passage of gas from the gas container 6 to the heater portion 8. The valve 60 operates to close the pipe 50, when a predetermined time period bought by the token 12 being inserted into the slot 26, has expired. The meter 10 may operate on the same general principal as known gas meters for providing gas supplies to houses in response to receiving cash.


Referring now to Figure 5, there are shown six heating units 62 which are located on a patio 64 and which are for heating the patio. The heating units 62 are similar to the heating unit 2 and similar parts have been given the same reference numerals for ease of comparison and understanding.

In Figure 5, the plurality of heaters 62 are each supplied with gas from a separate gas container 66. Thus the individual heaters 62 do not contain a gas container in their holders 44. The heaters 62 look like the heater 2 and can be manufactured substantially the same. However, with the heaters 62, the gas is supplied from the gas container 66. Each heating unit 62 has connector means 68 for connecting a common gas pipe 70 to the heating units 62. Each connector means 68 includes a pipe 72 and a connector (not shown) for connecting the pipe 72 in a gas-type manner to a pipe like the pipe 50 shown in Figure 2 and which is positioned inside the tubular conduit 14. The pipe 70 forms supply means which is from the gas container 66 and which is for supplying a plurality of the heating units 62 as shown.

It is to be appreciated that the embodiments of the invention described above with reference to the accompanying drawings have been given by way of example only and that modifications may be effected. Thus, for example, the heating units 2, 62 can be of a different shape to that shown in Figures 1, 2 and 5. The heating units 2, 62 can be provided with securing means (not shown) for securing the heating units 2, 62 to the patios 4, 64 respectively in order to prevent theft of the heating unit 2. The cafe 32 could be any other form of business premises, for example a public house or a restaurant. The patios 4, 64 can be any patios 4, 64 and they can be of any size, location and construction suitable for receiving persons in an environment which may sometimes require heating from patio heaters such for example as the heating unit 2 shown in Figures 1 and 2, or the

heating units 62 shown in Figure 5. The heating units 2, 62 may burn any suitable and appropriate gas, for example propane or butane.

115



Spaw




FIG 1

FIG 1



FIG 2

~~2/4~~  
2/5

SP




FIG 2

Fig 3

~~3/4~~  
~~3/5~~

SP




FIG 3

~~Fig 4~~

~~4/4~~  
4/5

Spore




FIG 4




FIG 5

5/5

SP